

# UNITOR HPC 67/1 3x440/60Hz

Product group: **430** Product number: **777889**

The new Unitor™ HPC 67/1 is a heavy duty cold water high pressure washer that combine renowned lifetime and quality. Optimal ergonomics and mobility offer an innovative partner for applications onboard all vessel types.



## Product information

This product supersedes product no: **652586**

The Unitor™ HPC 67/1 is equipped with the 4 ceramic pistons pump, double roller bearings, flow activated unloader system and 1750 rpm motor for high intensity use with maximum performance and comfort. Capable of accepting 85°C inlet water, the Unitor™ HPC 67/1 can be used as an effective hot water cleaner. At 85°C degreasing can be performed without usage of chemicals. The new chemical system allows two different chemicals. If higher volume is needed the suction hose in the tank can be place in a larger canister.

The unit is equipped with additional motor protection for superb marine operational safety.

The Unitor™ HPC 67/1 gives you high cleaning efficiency combined with reduced downtime and increased lifetime being tailor made for Mariner applications in the Engine or on Deck. Unitor™ HPC 67/1 comes with a castor wheel with brake for high mobility and safety.

## Supplied with

- Tornado lance
- Spray handle
- Quick coupling
- 10m HP hose
- Water inlet coupling

## Features

- High mobility and ergonomic design
- 4 full ceramic piston pump -- ensures long unit life
- Up to 85° C inlet water
- Two tank chemical dosing

## Benefits

- Effectively removes intense dirt
- Reduces cleaning time - cleans faster
- Reduces water consumption compared to conventional cleaning
- Designed for intense applications up to 8 hours continuous operation

## Specification

### General

Invent Hazard Material (IMO/EU) classification	D-1
--	-----

### Technical data

Amperage [A]	11.4
Cleaning impact [kg]	6,7
Ingress protection	X5
Inlet water temperature [°C]	85 maximum
Operating pressure [bar]	195
Power rating [kW]	8
Water flow rate [l/min]	21.3
Water inlet connection [inch]	3/4

### Dimensions/Weight

Dimensions L x W x H [mm]	775 x 570 x 1020
Nozzle size	0680
Weight [kg]	90

### Performance data

Rotation speed	1750
----------------	------

## Approvals

Corresponds to the following pertinent regulations:

EC Machine Directive 2006/42/EC

EC Low-voltage Directive 2006/95/EC

EC EMC Directive 2004/108/EC

EC RoHS Directive 2011/65/ECEC

Machine Directive 2006/42/EC

EC Low-voltage Directive 2006/95/EC

EC EMC Directive 2004/108/EC

EC RoHS Directive 2011/65/EC

Applied harmonised standards:

EN ISO 12100-1, EN ISO 12100-2, EN 60335-2-79,  
EN 55014-1(2002), EN 55014-2(2001), EN 61000-3-2 (2006)

Applied national standards and technical specifications:

IEC 60335-2-79

## Documents

[HPC-UNITOR-54-67EN-DE-FRv01](#)

[SDoC and MD for IHM](#)

## Related products

### Accessories

**546036** COUPLING KIT ERGO 3000

**665158** ERGO 3000 SPRAY GUN

**718593** NOZZLE 06/0DGR. F/EXTENDABLE LANCE

**545335** FOAM INJECTOR DETACHABLE

**586784** HEAVY DUTY HOSE 25 MTR  
**659151** EXTENDABLE LANCE 5.5M W/OUT NOZZLE  
**671727** AIR HOSE 3/4", PVC 50 M COIL  
**659110** TORNADO LANCE 92CM WITH 06 NOZZLE  
**621938** LONG REACH LANCE  
**718577** NOZZLE 06/25DGR. F/EXTENDABLE LANCE  
**621813** DRAIN CLEANER 6401266 F/HPC 54, 20M

**659128** POWERSPEED LANCE WITH 06 NOZZLE  
**586792** HEAVY DUTY HOSE 15 MTR  
**671818** HEAVY DUTY HOSE, BLUE 25M  
**621896** HOSE CART, MOBILE  
**571729** HP WASH 25 LTR  
**545343** FOAM LANCE 120CM LONG  
**671735** AIR HOSE 1", PVC 50 M COIL  
**682070** UNIVERSAL.3000 LANCE 06 NOZZLE

**Is frequently bought together with**

**571729** HP WASH 25 LTR  
**546036** COUPLING KIT ERGO 3000  
**586784** HEAVY DUTY HOSE 25 MTR

**This page is printed from:**

<https://www.wilhelmsen.com/product-catalogue/products/cleaning-equipment/mobile-high-pressure-cleaners/hp-cleaners-150---220-bar/unitor-hpc-671-3x44060hz/>