

Last updated: 30/04/2025 05:20:58

# UNITOR HPC STATIONARY 4P

Product group: 435      Product number: 729404

The Unitor™ HPC Stationary 4P is a flexible pump station that is capable of supplying up to 4 simultaneous operators with pressurized water for high pressure cleaning. Dependant on the amount of operators performing high pressure cleaning on board the vessel, the Unitor™ HPC Stationary detects the line pressure drop and will automatically activate the number of pumps being required.



## Product information

This product supersedes product no: 613804

Four pump stationary cold water unit for medium and heavy cleaning applications in maritime use.

The Unitor Stationary 4P model is for heavy cleaning applications with up to 4 users at same time.

### Features

- Stainless steel frame and robust cabinet ensure that pumps and electronics are well-protected
- 4 pump system, each pump is equipped with four solid ceramic pistons
- Supplied with both cold and hot water inlet valves
- Smart pump control system with touch screen at front panel
- Line pressures can be adjusted
- As water requirement drops, pumps will stop automatically
- Pumps operate on rotation to avoid excessive wear on single pumps
- The lower front panel can be opened for easy access to the pumps
- High level of serviceability, pumps and motors are quickly and easily removed

### Benefits

- The pumps are installed on the frame with rubber dampers, and flexible connections to power and water
- Smart control system detects the amount of water required by the relevant number of operators and start the required pumps automatically
- Long life pump for intense applications
- Efficient operation and routine maintenance
- Up to 4 simultaneous operators

## Specification

### General

Invent Hazard Material (IMO/EU) classification	D-1
------------------------------------------------	-----

### Dimensions/Weight

Height [mm]	1800
Length [mm]	970
Weight [kg]	408
Width [mm]	1050

### Technical data

Amperage [A]	58
Electrical phase	3
Frequency [Hz]	60
Ingress protection	X5
Inlet water temperature [°C]	70 maximum
Operating pressure [bar]	200
Power rating [kW]	35
Voltage [V]	440 mains supply
Water flow rate [l/min]	85 maximum

## Documents

[SDoC and MD for IHM](#)

[Instruction manual](#)

Related products

Accessories

- 718577

NOZZLE 06/25DGR. F/EXTENDABLE LANCE
- 621821

DRAIN CLEANER 6401268 F/HPC 67, 20M
- 659151

EXTENDABLE LANCE 5.5MW/OUT NOZZLE
- 671818

HEAVY DUTY HOSE, BLUE 25M
- 621938

LONG REACH LANCE
- 662163

TORNADO LANCE 92CM WITH 05 NOZZLE
- 546150

DOUBLE LANCE 200CMLONG
- 623595

TAKE OFF VALVE 6402023 ACID PROOF 316
- 665158

ERGO 3000 SPRAY GUN
- 659128

POWERSPEED LANCE WITH 06 NOZZLE
- 623603

TAKE OFF VALVE 6402024 CHR. PLATED BRASS
- 545327

CHEM. INJECTOR DETACHABLE
- 586792

HEAVY DUTY HOSE 15 MTR
- 545335

FOAM INJECTOR DETACHABLE
- 545434

DOUBLE LANCE 10CMLONG
- 586784

HEAVY DUTY HOSE 25 MTR
- 545343

FOAM LANCE 120CMLONG
- 546044

WASHING BRUSH 235CMLONG
- 621896

HOSE CART, MOBILE
- 682070

UNIVERSAL.3000 LANCE 06 NOZZLE
- 546036

COUPLING KIT ERGO 3000
- 718593

NOZZLE 06/0DGR. F/EXTENDABLE LANCE
- 565861

RUBBER NOZZLE F/VSB 300
- 621904

HOSE, HP OUTLET
- 633995

Q. COUPLING, MALE 3/4"
- 550030

UNITOR HEAVY DUTY HOSE 250BAR BLUE 25M
- 550035

UNITOR HEAVY DUTY HOSE 250BAR 25M
- 550040

UNITOR HEAVY DUTY HOSE 250BAR 15M
- Is part of bundle
- 729406

UNITOR HPC STATIONARY 6P

Is frequently bought together with

- 607440  
PLASTIC BUCKET 10 LTR
- 607441  
SQUEEGEE W/WOODEN HANDLE
- 607442  
PLASTIC SCOOP-MEDIUM SIZE
- 607443  
PLASTIC SPATULA
- 778993  
OILSPILL MARPOL KIT 12 BARREL(2 PALLETS)