

Product group: 719      Product number: 905618

Helium is used as a component of artificial atmospheres. It is mainly used as a balloon-inflating gas. Also used for blow out preventors in the offshore market. This product is delivered in a Unitor cylinder as part of WSS global cylinder exchange program.



Product information

Helium for balloon fill. It is delivered in a 40 litre cylinder. To draw the gas, use with Balloon fill regulator (product no. 624434). Beware of asphyxiation hazards when using the gas.

Features

- Helium is colourless, odourless, inert gaseous element occurring in natural gas.
- It is approximately 7 times lighter than air.
- Non-combustible and non-toxic.
- Suitable for filling balloons.
- Also used in oil & gas applications, specifically for blow-out preventors.

Benefits

- One cylinder Helium H-40 fills on average 375 balloons.
- For your safety, the product is delivered in a Unitor exchange cylinder complete with barcode and unique cylinder serial number
- We trace and track all cylinders using our system to give you peace of mind
- We offer global availability through our Global Exchange Programme.

Specification

General

Cylinder Type	H-40
Invent Hazard Material (IMO/EU) classification	NA

Physical properties

Colour	orange brown
--------	--------------

Dimensions/Weight

Diameter [mm]	230
Gross Weight [kg]	57
Height [mm]	1210
Weight [kg]	1.3 Net

Technical data

Connection [inch]	W24.32mmx 1/14" RH Ext side
Filling pressure [bar]	up to 200bar
Purity	97%
Volume (l)	40

Performance data

Gas Capacity [m³]	7.5
-------------------	-----

Documents

- [helium](#)
- [SDoC and MD for IHM](#)

Related products

Accessories

- 510002  
REGULATOR 510 N2 PRESSURE 0-10 BAR
- 624434  
BALLOON FILL REGULATOR WITH GAUGE

Is frequently bought together with

- 905232  
NITROGEN N-1030 FILLING
- 905208  
NITROGEN N-5030 FILLING
- 905174  
ARGON E-50 FILLING
- 624434  
BALLOON FILL REGULATOR WITH GAUGE
- 905602  
NITROGEN N-1050 FILLING
- 905607  
UNICOOL R-407C 52 KG REFRIGERANT

