

Last updated: 30/04/2025 05:22:22

REGULATOR 600 NITROGEN 0-200 BAR

Product group: **716** Product number: **771713**

A single stage regulator for nitrogen reducing the inlet pressure from 200bar to any pressure between 0 and 200 bar. One of the main application used onboard is for pressure accumulators (pressure dampers).



Product information

This product supersedes product no: **791713**

For use onboard to fill nitrogen accumulators and pressure dampers.

Apart from replacing damaged or faulty gauges, repairs should never be attempted on gas regulators. Faulty, old or corroded regulators should be replaced. Internal seals and membranes will deteriorate with time, and as a rule gas regulators should be replaced with maximum 5 years intervals.

Features

- Single-stage
- Inlet connection: W24.32mm x 1/14" Int
- Outlet connection: W21.8mm x 1/14" ext (comes with a 1/4" tube connection)
- Max inlet pressure : 200bar.
- Outlet pressure : 0 to 200 bar.

Benefits

- Reduces cylinder pressure to safe working pressure.
- No need for adjustment during work.
- Comes with easy hose connection.

Specification

General		Dimensions/Weight	
Invent Hazard Material (IMO/EU) classification	NA	Connection [Size/ Type]	W24.32 mmx 1/14"
Technical data		Performance data	
Outlet connection [inch]	1/4" (6.3mm) high pressure copper tube	Working Pressure	0 - 200 bar

Documents

[Declaration of Conformity](#)

[SDoC and MD for IHM](#)

Related products

Is accessory to

905232
NITROGEN N-1030 FILLING

905208
NITROGEN N-5030 FILLING

905601
NITROGEN N-5050 FILLING

905602
NITROGEN N-1050 FILLING

Is frequently bought together with

- 571356**
ROCOR NB LIQUID 25 L TR
- 905034**
OXYGEN O-40 FILLING
- 905026**
ACETYLENE A-40 FILLING
- 711473**
DELUXE MANIFOLD SET 4-WAY
- 670406**
ACCESSORIES KIT F/UWI-230,-320,-500