Wilhelmsen Ships Service

Last updated: 04/08/2026 05:39:38

REGULATOR 600 NITROGEN 0-200 BAR

Product group: **716** Product number: **771713**

A single stage regulator for nitrogen reducing the inlet pressure from 200bar to any pressure between 0 and 200 bar. One of the main application used onboard is for pressure accumulators (pressure dampers).

Product information

This product supersedes product no: **791713**

For use onboard to fill nitrogen accummulators and pressure dampers.

Apart from replacing damaged or faulty gauges, repairs should never be attempted on gas regulators. Faulty, old or corroded regulators should be replaced. Internal seals and membranes will deteriorate with time, and as a rule gas regulators should be replaced with maximum 5 years intervals.

Features

- Single-stage
- Inlet connection: W24.32mm x 1/14" Int
- Outlet connection: W21.8mm x 1/14" ext (comes with a 1/4" tube connection)
- Max inlet pressure : 200bar.
- Outlet pressure : 0 to 200 bar.

Benefits

- Reduces cylinder pressure to safe working pressure.
- No need for adjustment during work.
- Comes with easy hose connection.

Specification

General

Invent Hazard Material (IMO/EU) classification	NA

Dimensions/Weight

Connection [Size/ Type]	W24.32 mm x 1/14"

Technical data

Outlet connection [inch]	1/4" (6.3mm) high pressure copper tube

Performance data

Working Pressure	0 - 200 bar

Documents

Declaration of Conformity

SDoC and MD for IHM

Related products

Accessories

624643
HIGH PRESS.HOSE N2 1 MTR AND CABLE W/ ELBOW

Is accessory to

905232
NITROGEN N-1030 FILLING

905208
NITROGEN N-5030 FILLING

905601
NITROGEN N-5050 FILLING

905602
NITROGEN N-1050 FILLING

Is frequently bought together with

711473
DELUXE MANIFOLD SET 4-WAY

571356
ROCOR NB LIQUID 25 LTR

670406
ACCESSORIES KIT F/UWI-230,-320,-500

905034
OXYGEN O-40 FILLING

905026
ACETYLENE A-40 FILLING

This page is printed from:
https://www.wilhelmsen.com/product-catalogue/products/gases-refrigerants-and-cylinders/regulators/regulators-for-nitrogen/regulator-600-nitrogen-0-200-bar/

© 2024 Wilhelmsen. All rights reserved.