

# FC-BRONZE 261 2.0 X500MM 1,0KG

Product group: **093**      Product number: **233551**

Flux coated brazing rod for copper, copper alloys and steel.



## Product information

Flux-coated bronze rod with low bonding temperature and high tensile strength for joining and overlaying copper, brass, bronze, cast iron and steels. Galvanized steel may be braze- welded with FC-bronze without damaging the galvanizing. When additional flux is needed Unitor bronzeflux - 261 PF should be used.

### Features

- High tensile strength
- Low melting point
- Good melting flow

### Benefits

- Less possibility for joint to fail during operation
- Job is done faster
- Galvanized pipes can be brazed without destroying galvanizing
- Very user friendly

## Specification

### General

Invent Hazard Material (IMO/EU) classification	NA
--	----

## Variants

Product name	Product number	Product catalog URL
<a href="#">AG 45 253 2.0 X 500MM 0,4KG</a>	519744	
<a href="#">AG 45 253 2.0 X 500MM 0,4KG</a>	519744	
<a href="#">AG 60 252 2.0 X 500MM 0,5KG</a>	233601	
<a href="#">AG 60 252 2.0 X 500MM 0,5KG</a>	233601	
<a href="#">AG-60/45 FLUX 252 PF.250G</a>	778461 (supersedes 603050)	
<a href="#">AG-60/45 FLUX 252 PF.250G</a>	778461 (supersedes 603050)	
<a href="#">ALBRO-FLUX 263 PF 250G</a>	604371 (supersedes 233726)	
<a href="#">ALBRO-FLUX 263 PF 250G</a>	604371 (supersedes 233726)	

Product name	Product number	Product catalog URL
<a href="#">ALUFLUX 234 F. 250 G</a>	603043	
<a href="#">ALUFLUX 234 F. 250 G</a>	603043	
<a href="#">ALUMAG 235 3.0MM GAS TIG WELD 0.5KG</a>	514265	
<a href="#">ALUMAG 235 3.0MM GAS TIG WELD 0.5KG</a>	514265	
<a href="#">BRONZE-264 3.0 X 500MM 1.7KG</a>	174326 (supersedes 514240)	
<a href="#">BRONZE-264 3.0 X 500MM 1.7KG</a>	174326 (supersedes 514240)	
<a href="#">BRONZE-FLUX 261 PF. 250G</a>	603076	
<a href="#">BRONZE-FLUX 261 PF. 250G</a>	603076	
<a href="#">CAST IRON 237 5.0X500 MM 1.1 KG</a>	764485 (supersedes 682310)	
<a href="#">CAST IRON 237 5.0X500 MM 1.1 KG</a>	764485 (supersedes 682310)	
<a href="#">CAST IRON FLUX 236 F. 250 G</a>	764487	
<a href="#">CAST IRON FLUX 236 F. 250 G</a>	764487	
<a href="#">FC-BRONZE 261 2.0 X500MM 1.0KG</a>	233551	<a href="https://www.wilhelmsen.com/product-catalogue/products/welding/gas-welding-brazing--cutting/gas-welding-and-brazing-consumables/fc-bronze-261-2.0-x500mm-10kg/?epieditmode=true">https://www.wilhelmsen.com/product-catalogue/products/welding/gas-welding-brazing--cutting/gas-welding-and-brazing-consumables/fc-bronze-261-2.0-x500mm-10kg/?epieditmode=true</a>
<a href="#">FC-BRONZE 261 3.0 X 500MM 1,0KG</a>	233569	
<a href="#">FC-BRONZE 261 3.0 X 500MM 1,0KG</a>	233569	
<a href="#">FC-WEARBRO 262 3.0 X500MM 1,0KG</a>	233577	
<a href="#">FC-WEARBRO 262 3.0 X500MM 1,0KG</a>	233577	
<a href="#">FC-WEARBRO 262 5.0 X500MM 1,1KG</a>	233585	
<a href="#">FC-WEARBRO 262 5.0 X500MM 1,1KG</a>	233585	
<a href="#">MS-200 2.0 X 500M 3,5KG</a>	539551	
<a href="#">MS-200 2.0 X 500M 3,5KG</a>	539551	
<a href="#">MS-200 3.0 X 500MM 3,5KG</a>	539569	
<a href="#">MS-200 3.0 X 500MM 3,5KG</a>	539569	
<a href="#">TIN 241 AG 1.5 MM 0.5 KG SOLDER</a>	777973 (supersedes 305342)	
<a href="#">TIN 241 AG 1.5 MM 0.5 KG SOLDER</a>	777973 (supersedes 305342)	
<a href="#">WEARBRO-FLUX 262 PF. 250G</a>	603068	
<a href="#">WEARBRO-FLUX 262 PF. 250G</a>	603068	

## Documents

[SDoC and MD for IHM](#)

## Directions for use

The label on each container fully identifies the contents, and also gives basic information on application areas. Complete information on each rod, and instructions for use are given in the handbook for Maritime Welders.

## Related products

### Is part of bundle

**589861** GASWELDING CABINET COMPLETE

### Is frequently bought together with

**699173** GPO-302N 3.2X350MM 190 PCS 5.4 KG

**699264** LH-314N 2.5X350MM 161 PCS 4.0 KG

**699165** GPO-302N 2.5X350MM 295 PCS 5,2KG

**905034** OXYGEN O-40 FILLING

**233601** AG 60 252 2.0 X 500MM 0,5KG

### This page is printed from:

<https://www.wilhelmsen.com/product-catalogue/products/welding/gas-welding-brazing--cutting/gas-welding-and-brazing-consumables/fc-bronze-261-2.0-x500mm-10kg/>