Last updated: 30/04/2025 05:21:03

REGULATOR 510 CO2 FOR C-9 AND C-27 CYLINDER

Product group: **716**   Product number: **510004**

A general purpose brass regulator for CO_2 (Carbon dioxide)

Product information

This product supersedes product no: **656199**

For use with Unitor CO2 cylinders for potable water treatment, in shielding gas applications or for beverage dispensing.

Apart from replacing damaged or faulty gauges, repairs should never be attempted on gas regulators. Faulty, old or corroded regulators should be replaced. Internal seals and membranes will deteriorate with time, and as a rule gas regulators should be replaced with maximum 5 years intervals.

Features

- Built according to international norm EN ISO 2503
- Single-stage
- Inlet connection: CGA320 / 0.825"-14 NGO-RH-Int
- Oultet connection: 3/8" BSP RH Ext
- Max inlet pressure: 200 bar
- Outlet pressure range: 0 - 10 bar
- Comes with a pressure relief valve

Benefits

- Reduces cylinder pressure to safe working pressure.
- Suitable for connection with Unitor C-9 and C-27 cylinders.
- Inlet gauge to inform available pressure in the cylinder.

Specification

General

Invent Hazard Material (IMO/EU) classification	NA

Dimensions/Weight

Connection [Size/ Type]	CGA 320 (inlet)
Depth[mm]	100
Length [mm]	160
Width [mm]	115

Documents

SDoC and MD for IHM

Related products

Is accessory to

905619
CARBON DIOXIDE C-9 FILLING
905695
CARBON DIOXIDE C-27 FILLING

Is frequently bought together with

568568
BACTERIA COUNT TEST (10 PCS)

575613
AQUABREAK PX 25 LTR

607826
AQUATUFF 25 LTR

571752
NATURAL HANDCLEANER 4X5 LTR

551176
COLLET BODY 2,4MM FOR TIG-TORCH